



STAPLETONS
MAGNETIC ROACH FOOD™
M. R. F. 2000 - PASTE FORMULA

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
 INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS
 Contains Boric Acid 33.3%

CAUTION! KEEP OUT OF REACH OF CHILDREN

Use only in areas not easily accessible to children and pets.
 APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD
 HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE
 TREATMENT, ARE NOT PERMITTED

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS GREATER THAN ONE
 POUND TO FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.

See additional precautionary statements and directions for use in enclosed leaflet.

EPA Reg. No. 54452-2


EPA Est. No. 54452-TN-001

BLUE DIAMOND MANUFACTURING CO., INC.

Rt. 2, Box 1322

Rogersville, TN 37857

Net Wt. 35g



STAPLETONS

MAGNETIC ROACH FOOD™
M.R.F. 2000 - PASTE FORMULA

FOR USE IN AND AROUND HOMES, COMMERCIAL,
 INDUSTRIAL, INSTITUTIONAL, FOOD AND
 FEED HANDLING ESTABLISHMENTS

CAUTION!
KEEP OUT OF REACH OF CHILDREN

See side or back panel for additional cautions.
 Use only in areas not easily accessible to children and pets.

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison
 Control Center if swallowed. If eye contact
 occurs, flush eyes with plenty of water. Get
 medical attention if irritation persists.

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS,
 GREATER THAN ONE POUND TO FEDERALLY
 INSPECTED MEAT AND POULTRY PLANTS.

Manufactured by: Blue Diamond Exterminating & Mfg. Co., Inc.
 Rt. 2, Box 1322, Rogersville, TN 37857
 Phone: 1-800-237-5705 / 1-615-345-2317

Contact Person: Bill and Susie Stapleton
 401 Arrowhead Drive, Rogersville, TN 37857
 Phone: 1-615-272-3209 / 1-800-237-5705

NET CONTENT: 12.50 OZ.

EPA Registration No. 54452-2 EPA Est. No. 54452-TN-001

ACTIVE INGREDIENT: BORIC ACID	33.3%
INERT INGREDIENTS	66.7%
TOTAL	100.0%

PM 10

54452-2

1/1

2/15

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This reservoir is designed to be used in conjunction with the bait gun designed by Specialty Products, a Division of-EFD, Inc.

To use simply, attach a filled reservoir of bait to the BaitGun. Twist on the dispensing tip. Adjust the grip of the gun to fit your hand size. Aim and gently squeeze the trigger.

To control cockroaches: Apply the paste liberally under and behind refrigerators, stove, sink, dishwasher, washing machines and dryer, tubs, into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year, or sooner, if reinfestation should occur. Any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or served.

FOOD AREA -- APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits, motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS -- Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

NON-FOOD AREAS: Include garbage rooms, lavatories (Floor drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Note: Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

Numerous smaller placements will provide faster control than few large spots, especially for German cockroach control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL: Wrap used reservoirs and place in a trash can.

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors, such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of Blue Diamond Manufacturing Co., Inc. All such risks shall be assumed by the user. Blue Diamond Manufacturing Co., Inc., warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

Blue Diamond Manufacturing Co. Inc., makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.



STAPLETONS
MAGNETIC ROACH FOOD™
M.R.F. 2000
ROACH PASTE FORMULA

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS

ACTIVE INGREDIENT: BORIC ACID	33.3%
INERT INGREDIENTS	66.7%
TOTAL	100.0%

EPA Registration No. 54452-2

EPA Est. No. 54452-TN-001

Caution:

KEEP OUT OF REACH OF CHILDREN
See back panel for additional cautions

Use only in areas not easily accessible to children and pets.
Do not remove reservoirs from carton except for immediate use.

Blue Diamond Exterminating & Mfg. Co., Inc.
Rt. 2, Box 1322
Rogersville, TN 37857
1-800-237-5705

NET CONTENT: 12.50 OZ.

Contains 10 x 35g.

5/6

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See complete Directions for Use inside label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.


STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Wrap used reservoirs and place in a trash can.

See Disclaimer inside label.

CONTAINS TEN PRE-FILLED RESERVOIRS



4/5

STAPLETONS

MAGNETIC ROACH FOOD™

M.R.F. 2000 - PASTE FORMULA

CAUTION

KEEP OUT OF REACH OF CHILDREN
See side or back panel for additional cautions.

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

**THIS PRODUCT CANNOT BE SOLD IN CONTAINERS,
GREATER THAN ONE POUND TO FEDERALLY
INSPECTED MEAT AND POULTRY PLANTS.**

Manufactured by: **BLUE DIAMOND EXTERMINATING & MFG. CO.**
Rt. #2 - Box 1322, Rogersville, TN 37857
Phone 1-800-237-5705/1-615-345-2317

Contact Person: **Bill and Susie Stapleton**
401 Arrowhead Drive Rogersville, TN 37857
Phone 1-615-272-3209/1-800-237-5705

NET CONTENT: 8 ozs.

EPA Registration No. 54452-2 EPA Est. No. 54452-TN-001

Active Ingredient: BORIC ACID33.3%

Inert Ingredients66.7%

TOTAL.....100.0%

Patent Pending

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **CAUTION**

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For containers other than the plastic tube, stir well before using.

To control cockroaches: Apply the paste liberally under and behind refrigerator, stove, sink, dishwasher, washing machines and dryer, tubs; into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year. Any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or served.

FOOD AREA--APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits, motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS--Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Include garbage rooms, lavatories (Floor drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, patios and similar areas where insects hide or through which they may enter.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

STAPLETONS

MAGNETIC

ROACH FOOD

M.R.F. 2000®

PASTE FORMULA



FOR USE IN AND AROUND HOMES, COMMERCIAL,
INDUSTRIAL, INSTITUTIONAL, FOOD AND
FEED HANDLING ESTABLISHMENTS

CAUTION!:

KEEP OUT OF REACH OF CHILDREN

See side or back panel for additional cautions.

Use only in areas not easily accessible to children and pets.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of
water and induce vomiting by touching back of throat with finger.
If person is unconscious, do not give anything by mouth and do
not induce vomiting.

If in Eyes: Flush eyes with plenty of water. Call a physician if irritation
persists.

**THIS PRODUCT CANNOT BE SOLD IN CONTAINERS,
GREATER THAN ONE POUND TO FEDERALLY
INSPECTED MEAT AND POULTRY PLANTS.**

Manufactured by: Blue Diamond Exterminating & Mfg. Co., Inc.
1001 Old Hwy. 11-W, Mooresburg, TN 37811
Phone: 1-800-237-5705 / 1-423-921-9994

Contact Person: Bill and Susie Stapleton
401 Arrowhead Drive, Rogersville, TN 37857
Phone: 1-423-272-3209 / 1-800-237-5705

EPA Registration No. 54452-2

EPA Est. No. 54452-TN-001

ACTIVE INGREDIENT: BORIC ACID

33.3%

INERT INGREDIENTS

66.7%

TOTAL

100.0%

Patent # 5346700

PRECAUTIONARY STATEMENTS

"HAZARDS TO HUMANS AND DOMESTIC ANIMALS."

CAUTION

"Harmful if swallowed. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling."

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This reservoir is designed to be used in conjunction with the bait gun designed by Specialty Products, a Division of EFD, Inc.; Pro-Joe Batter and other suitable bait guns.

To use, simply attach a filled reservoir of bait to the BaitGun. Twist on the dispensing tip. Adjust the grip of the gun to fit your hand size. Aim and gently squeeze the trigger.

To control cockroaches: Apply the paste liberally under and behind refrigerators, stove, sink, dishwasher, washing machines and dryer, tubs; into openings and around drains, sewers, manholes, water pipe and electrical conduits. In cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year, or sooner, if reinfestation should occur. Any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or served.

FOOD AREA - - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (When food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits, motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS - - Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Include garbage rooms, lavatories (Floor drains to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Note: Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Wrap used reservoirs and place in a trash can.

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of Blue Diamond Manufacturing Co., Inc. All such risks shall be assumed by the user. Blue Diamond Manufacturing Co., Inc. warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values of any other special or indirect damages.

Blue Diamond Manufacturing Co., Inc. makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.